

# Purchase Order Receipt Listing

Wednesday, February 24, 2016 1:30:10 PM

All Vendors PO ID PO31242 All Receipt Dates All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MIRB Qty/ MIRB Reject Qty	Book Amt
Vendor ID/Vendor Name PO31242 1			VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720							
USD	No		M7075T6B1.500X1.5 f 00		2/26/2016	2/24/2016	24.0000		0.0000	0	\$0.00
			7075 T6 BAR 1.500 f x 1.500		24.0000	QUIR01			0.0000	0	
			m134336								
	2		M7075T6B6.000X1.0 f 00		2/26/2016	2/24/2016	12.0000		0.0000	0	\$0.00
	No		7075-T6 BAR 6.000" f X 1.000"		12.0000	QUIR01			0.0000	0	
			m134336								
	4		M7075T73B2.500X0 f 3.25		2/26/2016	2/24/2016	6.0000		0.0000	0	\$0.00
	No		7075-T73 Bar 2.50 x f 3.25		6.0000	QUIR01			0.0000	0	
			m134336								
	5		M7075T6B5.000X0.3 f 75		2/26/2016	2/24/2016	24.0000		0.0000	0	\$0.00
	No		7075-T6 BAR 5.000" f X 0.375"		24.0000	QUIR01			0.0000	0	
			m134336								
	6		71401-45		2/26/2016	2/24/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	QUIR01			0.0000	0	
			m134336								

Total Received Quantity:  
Total Qty to Inspect (PO U/M): 67.0000  
Total Reject Quantity: 0.0000  
Total Receipt Value: 0.0000  
Total Balance Due Quantity: \$0.00  
0.0000



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:2893265

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 23-FEB-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 2893265-2

<b>Shipment Details</b>	<b>Final Destination Branch - TOR</b>
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
4240717	3	752241.MO	2.5000.PL.7075.T7351.ALUMINUM.UST:48-5000.144.5000 CUT RECTANGLE TO 3.25 IN ( + .0620/- .0000 IN) X 72 IN ( + .1250/- .0000-IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
31242		1.00 PCS	1.00 PCS				
Details							
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120340203	KAISER ALUMINUM	 782746A2		1			60.5031

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, we are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 23-FEB-2016 04:18:04 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

*James M. Castle*

Date:

Name:

**FEB 23 2015**



## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4403525

CUSTOMER PO NUMBER: 344021		WORK PACKAGE:		CUSTOMER PART NUMBER: 752241		SHIP RUN/LOAD: 103438/15		GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1199123		LINE ITEM: 1	SHIP DATE: 7-JAN-2016		ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: KaiserSelect Plate		
WEIGHT SHIPPED: 5392 LB		QUANTITY: 3 PCS EST.		TRUCK B/L #: 2057961		GAUGE: 2.5000 IN (63.5000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)

MHU 1961098: LOT 782746A2: 2 pieces;

MHU 1961099: LOT 782746A2: 1 pieces;

## Certified Specifications

DAS

14

9-09

16/02/25

AMS 4078/RevJ  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
MMS 159/RevT

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1  
PS 21211/RevM

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 4297

## Test Results

Lot: 782746A2 Cast 108

Drop 24

Ingot 1

Parent Lot: 15961183 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:

Temper

Dir / # Tests

Ultimate KSI (MPA)

Yield KSI (MPA)

Elongation %

T7351

LT / 2 (Min:Max)

69.9 : 70.9

58.3 : 59.7

10.9 : 11.2

(482 : 489)

(402 : 412)

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :

39.4 Min

39.8 Max

(MS/M) :

22.9 Min

23.1 Max



(ASTM E1251)

Chemistry:

SI

FE

CU

MN

MG

CR

ZN

TI

V

ZR

OTHER

Actual(wt%)

0.08

0.19

1.4

0.05

2.5

0.20

5.7

0.03

0.01

0.02

TOT

0.05



Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4403525

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

### Aluminum Remainder

### ORDER COMMENTS

AMC CA-15413B R 6  
AMS 4078,AMS QQ-A-250/12,AMS STD-2154,A  
STM B209,ASTM B594,BS  
S 7055,CMMP 025,CSTI 006,DPS 4.713,GAMP  
S 9101,MMS 159,PS 212

11

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.

\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

\* has been thermally processed in compliance with AMS 2772, where applicable.

\* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).

\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.

\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 1

Shipment No:28932265

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 23-FEB-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 28932265-2

Shipment Details

Final Destination Branch - TOR

Order No	Line No	Item No	Description				
4240717	4	750067.MO	0.3750..PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN ( + .0620/- .0000 IN) X 144.5 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
31242		2.00 PCS	2.00 PCS				
Details							
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120342071	KAISER ALUMINUM	 15922788		2			56.7726


These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the order of the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

*James H. Hoffer*

**FEB 23 2016** Name:



These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 23-FEB-2016 04:18:04 PM

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4403786

CUSTOMER PO NUMBER: 347581		WORK PACKAGE:		CUSTOMER PART NUMBER: 750067		SHIP RUN/LOAD: 103440/14		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1200488	LINE ITEM: 1	SHIP DATE: 9-JAN-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: Sawed Plate			
WEIGHT SHIPPED: 3240 LB	QUANTITY: 12 PCS EST.	TRUCK B/L #: 2058004	GAUGE: 0.3750 IN ( 9.5250 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)		

MHU 1956913: LOT 159227B8: 12 pieces;

### Certified Specifications

AMS 4045/RevK  
CMMP 025/RevU

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

### Test Results

Lot: 159227B8 Cast 895

Drop 24

Ingot 3



Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	86.9 : 87.1 (599 : 601)	76.9 : 77.4 (530 : 534)	12.6 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.04	2.6	0.20	5.8	0.03	0.01	0.01	TOT 0.05

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4403786

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

### Aluminum Remainder

### ORDER COMMENTS

AMC CA-15409 R 3  
AMS 4045, AMS QQ-A-250/12, ASTM B209, CMMP  
025

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1251 ( $\leq 1$  ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, LABORATORIES SUPERVISOR





Castle Metals®

A. M. Castle & Co.


PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 2893265


<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 23-FEB-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid		<b>Carrier</b> MANITOU LIN		<b>BOL No</b> 2893265-2	

Shipment Details

<b>Order No</b> 4240717	<b>Line No</b> 2	<b>Item No</b> 752188.MQ	<b>Description</b> 1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6 IN ( + .0620/- .0000 IN) X 144.5 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
<b>Purchase Order No</b> 31242	<b>Part Number</b> 1.00 PCS		<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS			
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
<b>Delivery No.</b> 120342071	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  7822498A01	<b>Mech Id</b> 1	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 90.2818

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description, for credit. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the customer's specifications cannot be returned.

Reviewed by Authorized Castle Metals Representative:  Date: 23 FEB 2015 Name: David J. Miller

<b>SHIP TO:</b> A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
<b>SOLD TO:</b> AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

**KAISER  
ALUMINUM**  
 Trentwood Works - Spokane, WA 99215  
 Phone: (800) 367-2586

## CERTIFIED TEST REPORT

**Serial Number**  
 4403558

<b>CUSTOMER PO NUMBER:</b> 347595		<b>WORK PACKAGE:</b>		<b>CUSTOMER PART NUMBER:</b> 752188		<b>SHIP RUN/LOAD:</b> 103438/20		<b>GOV'T CONTRACT NUMBER:</b>	
<b>KAISER ORDER NO:</b> 1200474	<b>LINE ITEM:</b> 1	<b>SHIP DATE:</b> 7-JAN-2016	<b>ALLOY:</b> 7075	<b>CLAD:</b> BARE	<b>TEMPER:</b> T651	<b>PRODUCT DESCRIPTION:</b> KaiserSelect Plate			
<b>WEIGHT SHIPPED:</b> 4350 LB	<b>QUANTITY:</b> 6 PCS EST.	<b>TRUCK B/L #:</b> 2057966	<b>GAUGE:</b> 1.0000 IN (25.4000 MM)	<b>DIAMETER/WIDTH:</b> 48.500 IN (1231.9 MM)		<b>LENGTH:</b> 144.500 IN (3670.3 MM)			

MHU 1960253: LOT 782498A0: 5 pieces;  
 MHU 1960807: LOT 782744A7: 1 pieces;

DAS  
 14  
 9-39

16/02/25

### Certified Specifications

AMS 4045/RevK  
 ASTM B 209/Rev14  
 BSS 7055/RevB  
 DPS 4.713/RevAK  
 PS 21211/RevM

AMS-00-A-250/12/RevA  
 ASTM B 594/Rev13  
 CMMP 025/RevU  
 GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
 BAC 5439/RevJ  
 CSTI 006/RevE  
 GSS16100/RevG/Amd1

**Test Code: 1512**

### Test Results

Lot: 782498A0 Cast 108 Drop 06 Ingot 4 Parent Lot: 159676B6 Melted in USA

(ASTM E8/B557)  
 (EN 2002-1)

Tensile:	Temper T651	Dir / # Tests LT / 2 (Min:Max)	Ultimate KSI (MPA) 82.8 : 82.9 (571 : 572)	Yield KSI (MPA) 73.5 : 73.7 (507 : 508)	Elongation % 13.0 : 13.0
----------	----------------	-----------------------------------	--	---	-----------------------------

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.5	0.03	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4403558

Lot: 782744A7 Cast 108 Drop 23 Ingot 3 Parent Lot: 159597B4 Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	83.0 : 83.2 (572 : 574)	73.9 : 74.0 (510 : 510)	13.1 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.4	0.06	2.5	0.20	5.8	0.03	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15403 R 8  
AMS 4045,AMS QQ-A-250/12,AMS STD-2154,A  
STM B209,ASTM B594,BS  
S 7055,CMMP 025,CSTI 006,DPS 4.713,GAMP  
S 9101,PS 21211

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, LABORATORIES SUPERVISOR



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:2893265

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 23-FEB-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 2893265-2

**Shipment Details**

Final Destination Branch - TOR

Order No	Line No	Item No	Description	Ordered Qty	Invoice Qty		
4240717	1	750412.MO	1.5000.P.L.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 1.5 IN ( + .0620/- .0000 IN) X 72 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	4.00 PCS	4.00 PCS		
Purchase Order No		Part Number					
31242							
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120340203	KAISER ALUMINUM			4			66.8007

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 23-FEB-2016 04:18:04 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

*Shane St. John*

Date:

Name:

**FEB 23 2015**



## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4353475

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

CUSTOMER PO NUMBER: 305210		WORK PACKAGE:	CUSTOMER PART NUMBER: 750412		SHIP RUN/LOAD: 103055/27	GOVT CONTRACT NUMBER:	
KAISER ORDER NO: 1180374	LINE ITEM: 1	SHIP DATE: 17-NOV-2014	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate	
WEIGHT SHIPPED: 7614 LB	QUANTITY: 7 PCS EST.	TRUCK B/L #: 2050861	GAUGE: 1.5000 IN (38.1000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)	

MHU 1830784: LOT 103234B1: 2 pieces;  
MHU 1837310: LOT 105690B2: 3 pieces;  
MHU 1837311: LOT 105690B2: 2 pieces;

DAS  
14  
9-30

16/02/25

### Certified Specifications

AMS 4045/RevK  
ASTM B 209/Rev10  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevM

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512

### Test Results

Lot: 103234B1

Cast 659

Drop 65

Ingot 1



Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.1 : 82.4 (566 : 568)	73.1 : 73.4 (504 : 506)	11.8 : 12.4

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.25	1.5	0.02	2.5	0.21	5.7	0.02	0.01	0.01	TOT 0.05

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4353475

Lot: 105690B2    Cast 665    Drop 26    Ingot 5    Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	81.7 : 82.1 (563 : 566)	73.0 : 73.2 (503 : 505)	12.1 : 12.3

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.19	1.5	0.02	2.5	0.20	5.9	0.02	0.01	0.01	TOT 0.04

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15403A R 7  
AMS 4045, AMS QQ-A-250/12, AMS STD-2154, A  
STM B209, ASTM B594, BS  
S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP  
S 9101, PS 21211

### TEST NOTES

Metal represented by this test report was 100% immersion ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.



### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< = 1 ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum Laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMMENWAY, LABORATORIES SUPERVISOR

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075 T6  
DATE: 16/02/25

PO / BATCH NO: 31242/134336

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 24'  
QUANTITY INSPECTED: 24'  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 1.500 X 1.500  
THICKNESS RECEIVED: 1.530 X 1.570  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>16/02/25</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075T73  
DATE: 16/02/25

PO / BATCH NO: 31242/134336

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 6'  
QUANTITY INSPECTED: 6'  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 2.50X 3.25  
THICKNESS RECEIVED: 2.515X 3.300  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>16/02/25</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075T6  
 DATE: 16/02/25

PO / BATCH NO.: 31242/134336

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 6.00X1.00  
 THICKNESS RECEIVED: 6.125X1.010  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> DATE: <u>16/02/24</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075T6  
 DATE: 16/02/25

PO / BATCH NO.: 31242/134336

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 24'  
 QUANTITY INSPECTED: 24'  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 5.00 X .375  
 THICKNESS RECEIVED: 5.110 X .375  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	
CORRECT REF # TO LINK CERT	(Y)	N	
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-22</u> DATE: <u>16/02/25</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31242

Purchase Order Date 2/3/2016

PO Print Date 2/4/2016

Page Number 1 of 3

**Order From :**

VU-MET002

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED  
FEB 05 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	--	------------------------	--------------------------------------	----	--------------------------------	---------------	----------------

1	M7075T6B1.500X1.500	7075 T6 BAR 1.500 x 1.500	2/18/2016		24.00	\$25.50	\$612.00
			Yes		f		
			2/18/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$612.00

2	M7075T6B6.000X1.000	7075-T6 BAR 6.000" X 1.000"	2/18/2016		12.00	\$48.78	\$585.36
			Yes		f		
			2/18/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$585.36

Note:

2/4/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31242**

Purchase Order Date 2/3/2016

PO Print Date 2/4/2016

Page Number 2 of 3

**Order From :**

VU-MET002

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone**

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Yours ppd

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

Destination-Collect

3	M174PH-H900R1.375	17-4 SS H900 ROUND BAR 1.375	2/18/2016	12.00	\$21.22	\$254.64
			Yes	f		
			2/18/2016			

MATERIAL: 17-4 PH COND. H900  
AS PER AMS 5643

**NOTE:**

PLEASE SHIP ALL MATERIAL TO METCOR INC.  
560 BOULV. ARTHUR SAUVE  
SAINT-EUSTACHE, QC  
J7R-5A8  
450-473-1884

**Line Total:** \$254.64

4	M7075T73B2.500X03.25	7075-T73 Bar 2.50 x 3.25	2/18/2016	6.00	\$69.00	\$414.00
			Yes	f		
			2/18/2016			

MATREIAL: 7075-T73 OR 7075-T7351/T73510/T73511  
BAR AS PER AMS-QQ-A-200/11 PR AMS-QQ-A-225/9  
OR AMS 4124 OR AMS-QQ-A-250/12 AMS 4078

**Line Total:** \$414.00

**Note:**

2/4/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31242**

Purchase Order Date 2/3/2016

PO Print Date 2/4/2016

Page Number 3 of 3

**Order From :**

VU-MET002

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone**

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Yours ppd

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

Destination-Collect

5	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X 0.375"	2/18/2016	24.00	\$20.40	\$489.60
---	---------------------	-----------------------------	-----------	-------	---------	----------

Yes

f

2/18/2016

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

**Line Total: \$489.60**

6	71401-45	PROCUREMENT QUALITY CLAUSES	2/18/2016	1.00	\$0.00	\$0.00
---	----------	-----------------------------	-----------	------	--------	--------

No

2/18/2016

**Procurement Quality Clauses**

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

**Line Total: \$0.00**

**PO Total: \$2,355.60**

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 2/4/2016